

MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117


PHONE	405.677.5969
FAX	405.677.3406
WATTS	800.633.4396

LIST PRICES

EFFECTIVE OCTOBER 1, 2021

**BULL PLUGS - COUPLINGS - SWAGES - API OIL COUNTRY
- J-55 - N-80 - P-110 - 4130 - 4140 - ALUMINUM BRONZE -
BRASS - STAINLESS STEEL AND OTHER SPECIALTY
FITTINGS**

LOCAL STOCKING DISTRIBUTOR



MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
FAX 405.677.3406
WATTS 800.633.4396

TABLE OF CONTENTS

	PAGE
TERMS AND CONDITIONS	1
CURRENT API THREAD STANDARDS	2
BULL PLUGS	
CASING	10
LINE PIPE	3
TUBING	10
EXTRAS	6 & 7
COUPLINGS	
COMBINATION TUBING	15
SUB - TUBING	14
EXTRAS	6 & 7
NIPPLES	
ADAPTER	12
BELL	15
CASING	13
TUBING	11
EXTRAS	6 & 7
SWAGES	
CASING	9
LINE PIPE	4 & 5
STAINLESS & SPECIAL ALLOYS	6 & 7
TUBING - NON - UPSET	9
TUBING - UPSET	8
EXTRAS	6 & 7
TEES	
FLOW	15

MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
FAX 405.677.3406
WATTS 800.633.4396

TERMS & CONDITIONS

PRICES & PAYMENT TERMS

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. ALL PRICES ARE SUBJECT TO "ADDERS" SHOWN. MINIMUM INVOICING CHARGE OF \$50.00 PLUS SHIPPING/HANDLING. 2% 10 - NET 30 DAYS. A SERVICE CHARGE OF 18% PER ANNUM WILL BE ASSESSED ON ALL PAST DUE ACCOUNTS.

FREIGHT

FULL FREIGHT ALLOWED WITHIN THE CONTINENTAL USA BY THE MOST ECONOMICAL MEANS FOR ORDERS TOTALING \$3,000.00 NET OR MORE. MAYCO'S RESPONSIBILITY CEASES UPON DELIVERY OF GOODS TO CARRIER.

SHORTAGES

SHORTAGE CLAIMS MUST BE PRESENTED IN WRITING WITHIN 30 DAYS AFTER RECEIPT OF MATERIAL.

RETURN POLICY

NO MATERIAL MAY BE RETURNED WITHOUT PRIOR AUTHORIZATION. A 20% CHARGE MAY APPLY. NO SPECIAL OR NON-STOCKING ITEM MAY BE RETURNED OR CANCELED.

MATERIAL TEST REPORTS

\$5.00 PER LINE ITEM - \$25.00 MINIMUM

PRESSURE RATINGS

MAYCO, INC. DISCLAIMS ANY LIABILITY OR RESPONSIBILITY FOR MAKING ALLOWABLE WORKING PRESSURE RECOMMENDATIONS. PRODUCTS WILL BE FURNISHED TO END USERS SPECIFICATION OF PIPE SIZE AND SCHEDULE. END USER IS RESPONSIBLE FOR FORMULAS AND PROCEDURES FOR CALCULATING NECESSARY WORKING PRESSURE REQUIRED IN ACCORDANCE WITH SERVICE CONDITIONS OF END APPLICATION.

WARRANTY

MAYCO, INC. WARRANTS TO THE CUSTOMER ALL MANUFACTURED PRODUCTS TO BE FREE FROM DEFECTS IN WORKMANSHIP AND MATERIAL FOR A PERIOD OF ONE (1) YEAR FROM DATE OF PURCHASE. MAYCO'S LIABILITY SHALL BE LIMITED TO REPLACEMENT OF PRODUCT FOB FROM ITS FACTORY, PROVIDED THAT THE PRODUCT WAS USED IN ACCORDANCE WITH APPROVED INSTALLATION AND OPERATING PRACTICES AS RECOMMENDED AND NOT DAMAGED DUE TO ABRASIVE, CORROSIVE, OR OTHER ABNORMAL CONDITIONS

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

CURRENT API

THREAD STANDARDS

NOMINAL SIZE	OD SIZE	PIPE	TUBING & CASING	NOMINAL SIZE	OD SIZE	PIPE	TUBING & CASING
1/8	0.405	27V		4 - 1/2	4.500	8V	8RD
1/4	0.540	18V		4-1/2 EUE	4.750		8RD
3/8	0.675	18V			5.000		8RD
1/2	0.840	14V		5 - 1/2	5.500		8RD
3/4	1.050	14V		5	5.563	8V	
1.050 EUE	1.315		10RD	6	6.625	8V	8RD
1	1.315	11-1/2V	10RD	7	7.000		8RD
1.315 EUE	1.469		10RD	7 - 5/8	7.625		8RD
1-1/4	1.660	11-1/2V	10RD	8	8.625	8V	8RD
1.660 EUE	1.812		10RD	9	9.625		8RD
1-1/2	1.900	11-1/2V	10RD	10	10.750	8V	8RD
1.900 EUE	2.094		10RD	11	11.750		8RD
2	2.375	11-1/2V	10RD	12	12.750	8V	
2-3/8 EUE	2.594		8RD	13	13.375		8RD
2-1/2	2.875	8V	10RD	14	14.000	8V	
2-7/8 EUE	3.094		8RD	16	16.000	8V	8RD
3	3.500	8V	10RD	18	18.000	8V	
3-1/2 EUE	3.750		8RD	20	20.000	8V	

API SHARP V LINE PIPE THREADS ARE NOT RECOMMENDED OR INTENDED FOR TENSION LOADS OR FOR LIFTING ON TUBULAR PRODUCTS

FOR NON-CURRENT API THREAD ADD 50% TO LIST PRICE

COLOR CODES FOR TUBING AND CASING THREAD

8RD-RED, 10RD-YELLOW, 10V-BLUE & 11-1/2 V (LONG) GREEN

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

BULL PLUGS

API LINE PIPE

SIZE, INCHES		LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
PIPE	API OR OD		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1/8	0.405	2	----	*	1/10	36.81	2/5	52.86
1/4	0.540	2	----	*	1/9	33.24	2/5	48.23
3/8	0.675	2-1/4	----	*	1/7	34.93	2/7	52.86
1/2	0.840	2-1/2	----	*	1/3	36.37	1/2	54.40
3/4	1.050	2-3/4	----	*	1/2	38.23	3/4	56.59
1	1.315	3	----	*	2/3	44.71	1	66.04
1-1/4	1.660	3-1/4	----	*	1	70.49	1-1/2	137.47
1-1/2	1.900	3-1/2	----	*	1-1/6	68.01	2	111.64
2	2-3/8	4	2-1/4	87.36	2-1/2	128.02	3-1/2	259.22
2-1/2	2-7/8	5	3	128.21	3-1/2	166.80	8	344.47
3	3-1/2	6	4-1/2	192.29	6	241.87	11	563.51
3-1/2	4	6-1/2	5-1/2	POA	7-1/2	POA	13-1/2	POA
4	4-1/2	7	7-1/2	243.40	10	333.46	18	735.27
5	5-9/16	8-1/2	12-1/2	481.87	17	719.89	33	POA
6	6-5/8	10	17	752.20	25	1,135.27	46	POA
8	8-5/8	11	29	1,230.77	44	1,909.34	78	POA

*STANDARD WEIGHT NOT AVAILABLE

PRICES SHOWN FOR BULL PLUGS WITH ANY CURRENT API LINE PIPE THREAD OR BEVELED END (B.E.) OR ANY COMBINATION THEREOF.

SOLID BLACK REFINERY BULL PLUGS POA

BULL PLUG EXTRAS PAGE 6

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

SWAGE NIPPLES API LINE PIPE CONCENTRIC 1/4" THRU 2-1/2"

SIZE, INCHES			LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
PIPE	API OR OD	REDUCED TO		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1/4	0.540	1/8	2-1/4	----	*	----	42.97	1/4	54.12
3/8	0.675	1/8	2-1/2	----	*	1/4	42.97	3/8	54.12
		1/4	2-1/2	----	*	1/4	38.41	3/8	48.46
1/2	0.840	1/8	2-3/4	----	*	1/3	43.02	1/2	55.05
		1/4 and 3/8	2-3/4	----	*	1/3	35.11	1/2	44.78
3/4	1.050	1/8	3	----	*	1/2	56.32	3/4	72.64
		1/4 and 3/8	3	----	*	1/2	50.49	3/4	65.48
		1/2	3	----	*	1/2	39.22	3/4	50.64
1	1.315	1/8	3-1/2	----	*	2/3	71.20	1	91.43
		1/4 and 3/8	3-1/2	----	*	2/3	63.62	1	84.49
		1/2 and 3/4	3-1/2	----	*	2/3	49.62	1	65.82
1-1/4	1.660	1/4 and 3/8	4	----	*	1	102.08	1-1/2	206.47
		1/2 and 3/4	4	----	*	1	77.42	1-1/2	188.45
		1	4	----	*	1	72.91	1-1/2	149.12
1-1/2	1.900	1/4 and 3/8	4-1/2	----	*	1-1/6	126.91	2	206.48
		1/2 and 3/4	4-1/2	----	*	1-1/6	101.37	2	197.42
		1	4-1/2	----	*	1-1/6	85.82	2	154.12
		1-1/4	4-1/2	----	*	1-1/6	85.82	2	140.26
2	2-3/8	1/4 and 3/8	6-1/2	----	*	3	196.22	4-1/2	333.51
		1/2 and 3/4	6-1/2	----	*	3	176.66	4-1/2	312.96
		1	6-1/2	2	121.15	2-1/3	139.84	4-1/2	287.43
		1-1/4	6-1/2	2	137.13	2-1/3	148.90	4-1/2	287.43
		1-1/2	6-1/2	2	104.05	2-1/3	139.84	4-1/2	287.43
2-1/2	2-7/8	1/2 and 3/4	7	----	*	3-1/2	259.35	8	383.63
		1	7	3	150.77	3-1/2	218.23	8	357.31
		1-1/4	7	3	165.11	3-1/2	228.12	8	357.31
		1-1/2	7	3	158.46	3-1/2	209.34	8	357.31
		2	7	3	129.78	3-1/2	175.59	8	335.04

*STANDARD WEIGHT NOT AVAILABLE

PRICES SHOWN FOR SWAGE NIPPLES WITH ANY CURRENT API LINE PIPE THREAD OR BEVELED END (B.E.) OR ANY COMBINATION THEREOF.

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

SWAGE NIPPLES API LINE PIPE CONCENTRIC 3" THRU 8"

SIZE, INCHES			LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
PIPE	API OR OD	REDUCED TO		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
3	3-1/2	1/2 and 3/4	8	----	*	6	438.30	11	478.66
		1	8	4-1/2	213.30	6	262.88	11	448.38
		1-1/4	8	4-1/2	230.75	6	275.70	11	448.38
		1-1/2	8	4-1/2	212.51	6	249.45	11	448.38
		2 and 2-1/2	8	4-1/2	147.23	6	203.93	11	388.52
3-1/2	4	1/2 thru 1-1/2	8	5-1/2	POA	7-1/2	POA	13-1/2	POA
		2 thru 3	8	5-1/2	POA	7-1/2	POA	13-1/2	POA
4	4-1/2	1/2 and 3/4	9	----	*	10	429.48	18	751.52
		1	9	7-1/2	335.25	10	407.82	18	585.96
		1-1/4 thru 1-1/2	9	7-1/2	321.01	10	394.59	18	585.96
		2	9	7-1/2	235.32	10	318.55	18	516.03
		2-1/2	9	7-1/2	254.97	10	305.52	18	516.03
		3 and 3-1/2	9	7-1/2	218.00	10	286.79	18	516.03
5	5-9/16	1 thru 1-1/2	11	11-1/2	947.38	17	1,009.99	33	POA
		2 and 2-1/2	11	11-1/2	901.52	17	961.59	33	POA
		3 and 3-1/2	11	11-1/2	725.15	17	866.02	33	POA
		4	11	11-1/2	598.04	17	765.91	33	POA
6	6-5/8	1 thru 1-1/2	12	17	1,451.75	25	1,498.05	46	POA
		2 and 2-1/2	12	17	1,189.98	25	1,181.70	46	POA
		3 and 3-1/2	12	17	831.96	25	979.04	46	POA
		4	12	17	687.46	25	954.26	46	POA
		5	12	17	657.78	25	870.46	46	POA
8	8-5/8	2 thru 3	13	29	2,525.69	44	2,604.27	78	POA
		4 and 5	13	29	2,456.65	44	2,548.71	78	POA
		6	13	29	1,493.38	44	1,892.74	78	POA

ECCENTRIC SWAGES POA

SWAGE NIPPLE EXTRAS ON PAGE 6

MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
FAX 405.677.3406
WATTS 800.633.4396

LINE PIPE EXTRAS BULL PLUGS & SWAGES

MATERIAL

LINE PIPE BULL PLUGS & SWAGES ARE MADE FROM SEAMLESS A-106 GR B PIPE OR COLD DRAWN BARSTOCK AND TUBING IN ACCORDANCE WITH A234 SPECIFICATIONS. THREADING CONFORMS TO API 5B SPECIFICATIONS.

TAPPED BULL PLUGS

2" (2-3/8 OD) & BELOW
2-1/2" (2-7/8 OD) - 4" (4-1/2 OD)
5" (5-9/16 OD) - 8" (8-5/8 OD)

LIST PLUS \$13.74
LIST PLUS \$22.20
LIST PLUS \$41.76

SIDE TAPPED BULL PLUGS

POA

1-1/4" - 2" HEX BULL PLUGS

POA

FEMALE BULL PLUGS & SWAGES

POA

ALUMINUM BRONZE, BRASS, STAINLESS STEEL, ETC.

POA

COMBINATION ENDS

DIFFERENT SCHEDULES OR WALL THICKNESS USE HEAVIEST WALL

LIST PLUS 50%

SPECIAL LENGTHS

POA

ECCENTRIC SWAGE NIPPLES

POA

PLAIN ENDS / SQUARE CUT

BULL PLUGS & SWAGES WITH SQUARE CUT ENDS SPECIFIED, MUST BE RESIZED;
SQUARE CUT AND FITTED INTO SOCKETWELD FITTING GAUGES TO INSURE A
PROPER FIT AND INSTALLATION

LARGE END SIZE

1-1/2" & SMALLER
2" & LARGER

LIST PLUS 30%
LIST PLUS 20%

GROOVED ENDS

ONE END
BOTH ENDS

LIST PLUS 5%
LIST PLUS 10%

NON-CURRENT API THREAD

LIST PLUS 50%

MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
FAX 405.677.3406
WATTS 800.633.4396

OIL COUNTRY EXTRAS BULL PLUGS, SWAGES, CASING & TUBING NIPPLES

MATERIAL

OIL COUNTRY BULL PLUGS, SWAGES, TUBING NIPPLES, ETC. ARE MADE FROM COLD DRAWN BARSTOCK OR TUBING AND HEAT TREATED WHEN NECESSARY TO MEET J-55 SPECIFICATIONS. MAYCO ALSO PROVIDES PRODUCTS MEETING N-80, L-80, P-110, 4130 NACE, 4140, ALUMINUM BRONZE, STAINLESS STEEL, BRASS & OTHER ALLOY SPECIFICATIONS. THREADING CONFORMS TO API 5B SPECIFICATIONS.

LEFT HAND THREADS

POA

OIL COUNTRY COMBINATION THREAD SWAGE NIPPLES

UPSET BOTH ENDS OR NON-UPSET BOTH ENDS

2" (2-3/8 OD) & 2-1/2" (2-7/8 OD)

LIST PLUS \$21.43

3" (3-1/2 OD)

LIST PLUS \$28.85

4" (4-1/2 OD)

LIST PLUS \$42.31

WEIGHTS AND SPECIAL LENGTHS NOT SHOWN

POA

COMBINATION & API LONG CASING THREAD

FOR EACH THREAD ADD THE FOLLOWING

6-5/8" OD & BELOW

COMB
THREAD

LONG
THREAD

7" OD THRU 10-3/4" OD

\$74.54

\$84.73

OVER 10-3/4" OD

\$91.67

\$104.16

\$132.86

\$135.99

SPECIAL THREADS

ACME 8, ARMCO SEAL LOCK, BUTTRESS THD(S), ETC.

POA

NON-CURRENT API THREAD

LIST PLUS 50%

NON-STANDARD ENDS

POA

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

API UPSET SWAGE NIPPLE OIL COUNTRY

LARGE END UPSET REDUCED TO REGULAR OR UPSET

NOM PIPE SIZE INCH	PIPE OD INCHES	REDUCED TO	LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DOUBLE EXTRA HEAVY	
				WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1.315	3/4	3- 1/2	2/3	354.86	2/3	399.87	3	POA
1-1/4	1.660	3/4 - 1	4	1	396.09	1	456.10	4	POA
1-1/2	1.900	3/4 - 1 - 1-1/4	4- 1/2	1-1/4	394.60	1-1/4	460.54	6	POA
2	2-3/8	1-4 - 1/2 - 3/4	8	2-1/2	630.65	4	687.20	6	POA
		1 - 1-1/4 - 1-1/2	8	2-1/2	555.99	4	602.51	6	1,115.66
2-1/2	2-7/8	1 - 1-1/4 - 1-1/2	8	5	692.40	6	760.57	10	1,380.05
		2	8	5	522.03	6	665.88	10	1,220.86
3	3-1/2	1 - 1-1/4 - 1-1/2	8	7-1/2	771.85	9	841.08	14	1,533.57
		2 - 2-1/2	8	7-1/2	683.65	9	798.78	14	1,445.42
4	4-1/2	1 - 1-1/4 - 1-1/2	9	11	948.59	14	1,028.41	23	1,955.59
		2 - 2-1/2	9	11	902.58	14	985.64	23	1,797.13
		3 - 3-1/2	9	11	852.14	14	933.38	23	1,698.34

LARGE END NON-UPSET REDUCED TO UPSET

NOM PIPE SIZE INCH	PIPE OD INCHES	REDUCED TO	LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DOUBLE EXTRA HEAVY	
				WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1.315	3/4	3- 1/2	2/3	244.70	2/3	273.01	-----	POA
1-1/4	1.660	3/4 - 1	4	1	309.91	1	335.77	-----	POA
1-1/2	1.900	3/4 - 1 - 1-1/4	4- 1/2	1-1/4	358.12	1-1/4	388.82	-----	POA
2	2-3/8	1 - 1-1/4 - 1-1/2	6 - 1/2	2-1/2	486.42	3-1/2	577.86	5	973.46
2-1/2	2-7/8	1 - 1-1/4 - 1-1/2	7	4	603.73	6	672.84	9	1,230.21
		2	7	4	498.74	6	580.92	9	1,098.41
3	3-1/2	1 - 1-1/4 - 1-1/2	8	6	672.66	9	740.58	12	1,566.32
		2 - 2-1/2	8	6	591.59	9	693.27	12	1,288.04
4	4-1/2	1 - 1-1/4 - 1-1/2	9	8	817.12	12	902.11	20	1,738.70
		2 - 2-1/2	9	8	783.29	12	859.76	20	1,552.40
		3 - 3-1/2	9	8	746.47	12	817.07	20	1,496.73
	5-1/2	2 - 3	11	12-1/2	1,521.98	17	1,728.96	33	2,113.44
	7	2 - 3	12	17	1,785.71	25	2,190.38	50	2,965.33

SWAGE NIPPLES SHOWN ABOVE ARE MADE FROM J-55. FOR N-80 LIST PLUST 25%. PRICES SHOWN ARE FOR TUBING THREAD ON ONE END WITH LINE PIPE, TUBING OR CASING THREADS ON THE OTHER END. OIL COUNTRY SWAGE NIPPLE EXTRAS ON PAGE 7

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

API NON-UPSET SWAGE NIPPLES TUBING & CASING OIL COUNTRY

SIZE, INCHES			LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
ID NOM	OD	REDUCED TO		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1.315	1/4 thru 3/4	3-1/2	2/3	POA	2/3	POA	1	POA
1-1/4	1.660	1/4 thru 1/2	4	1	POA	1	POA	1-1/2	POA
		3/4 and 1	4	1	173.27	1	185.81	1-1/2	POA
1-1/2	1.900	1/4 thru 3/4	4-1/2	1-1/16	POA	1-1/2	POA	2	POA
		1 and 1-1/4	4-1/2	1-1/16	185.81	1-1/2	206.14	2	POA
2	2-3/8	1/4 thru 3/4	6-1/2	2-1/2	-----	3	POA	4-1/4	POA
		1 thru 2 OD	6-1/2	2	162.52	2-1/3	224.12	4-1/2	POA
2-1/2	2-7/8	1/4 thru 3/4	7	3	-----	3-1/2	POA	8	POA
		1 thru 1-1/2	7	3	POA	3-1/2	POA	8	POA
		2 and 2-1/16	7	3	179.51	3-1/2	277.63	8	POA
3	3-1/2	1 thru 1-1/2	8	4-1/2	POA	6	POA	11	POA
		2 and 2-1/2	8	4-1/2	218.55	6	321.48	11	POA
4	4-1/2	1 thru 1-1/2	9	7	POA	10	POA	18	POA
		2 thru 4 OD	9	7-1/2	321.12	10	508.49	18	POA
	5	1 thru 1-1/2	10	9-1/2	POA	15	POA	24	POA
		2 thru 4-1/2 OD	10	9-1/2	POA	15	POA	24	POA
	5-1/2	1 thru 1-1/2	11	12-1/2	POA	17	POA	33	POA
		2 and 2-1/2	11	12-1/2	967.02	17	1,266.64	33	POA
		3 thru 5 OD	11	12-1/2	650.93	17	1,017.23	33	POA
	6-5/8	1 thru 1-1/2	12	17	POA	25	POA	46	POA
		2 and 2-1/2	12	17	1,438.56	25	1,482.55	46	POA
		3 thru 4 OD	12	17	970.20	25	1,332.10	46	POA
		4 thru 6 OD	12	17	838.37	25	1,191.08	46	POA
	7	1 thru 1-1/2	12	17	POA	25	POA		POA
		2 thru 2-1/2	12	17	1,602.95	25	1,673.02		POA
		3 thru 5 OD	12	17	1,266.25	25	1,522.03		POA
		5-1/2 and 6 OD	12	17	888.00	25	1,421.86		POA
	7-5/8	2 thru 3	12	24	POA	32	POA		POA
		4 thru 6 OD	13	24	POA	32	POA		POA
		6-5/8 thru 7 OD	13	24	POA	32	POA		POA
	8-5/8	2 thru 3	13	29	3,251.48	44	3,295.52		POA
		4 thru 6 OD	13	29	2,849.81	44	2,962.58		POA
		6-5/8 and 7-5/8 OD	13	29	1,654.45	44	2,229.55		POA

PRICES SHOWN FOR SWAGE NIPPLES WITH 8RD & 10RD TUBING THREAD, 8RD CASING THREAD AND/OR BEVELED ENDS. ALSO COVERS CASING SIZES WHERE NO THREAD IS SPECIFIED. SWAGE NIPPLES SPECIFIED N-80 POA. OIL COUNTRY SWAGE NIPPLE EXTRAS PAGE 7

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

BULL PLUGS OIL COUNTRY TUBING

SIZE, INCHES		LENGTH INCHES	STANDARD		EXTRA HEAVY		DBL EX HEAVY	
PIPE	API OR OD		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
3/4 EUE	----	3	1-1/2	POA	1/2	POA	-----	POA
1	1.315	3	1-1/2	POA	2/3	POA	-----	POA
1 EUE	----	3	1-1/2	POA	----	POA	-----	POA
1-1/4	1.660	3-1/4	1-1/2	151.74	2	177.29	3	288.15
1-1/4 EUE	----	3-1/4	1-1/2	236.49	2	270.84	3-1/4	325.11
1-1/2	1.900	3-1/2	1-1/2	159.84	2	209.87	3-1/2	306.46
1-1/2 EUE	----	3-1/2	2	238.59	2-1/4	264.62	4	335.22
2	2-3/8	4	2	125.22	3	158.74	4-1/4	354.86
2 EUE	----	5	3-1/2	208.67	4	280.49	9	473.60
2-1/2	2-7/8	5	3	129.54	3-1/2	200.90	8	383.62
2-1/2 EUE	----	5-1/2	4-1/4	289.59	6	363.60	14	745.19
3	3-1/2	6	4-1/2	185.81	5	267.62	11	712.63
3 EUE	----	6-1/2	10	321.12	15	478.12	25	922.41

FEMALE BULL PLUGS POA

CASING

SIZE INCHES	LENGTH INCHES	STANDARD		EXTRA HEAVY		DBL EX HEAVY	
		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
4-1/2	7	7-1/2	POA	10	POA	18	POA
5	8	9-1/2	POA	15	POA	24	POA
5-1/2	8-1/2	12-1/2	POA	17	POA	33	POA
6-5/8	10	17	POA	25	POA	46	POA
7	10	17	POA	25	POA	50	POA
7-5/8	11	24	POA	32	POA	53	POA
8-5/8	11	29	POA	44	POA	78	POA

PRICES SHOWN FOR BULL PLUGS WITH 8RD & 10RD TUBING THREAD, 8RD CASING THREAD AND/OR BEVELED ENDS.

BULL PLUGS SPECIFIED N-80 POA

OIL COUNTRY BULL PLUG EXTRAS ON PAGE 7

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

TUBING NIPPLES UPSET & NON-UPSET J-55

UPSET API THREADS ONE OR BOTH ENDS

NOM PIPE SIZE	LENGTH - INCHES									
	4		6		8		10		12	
	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1/2	233.21	1	283.62	1-1/4	355.31	1-1/2	489.51	2	672.66
1-1/4	1	242.73	1-1/4	311.41	1-1/4	393.82	2	533.57	2-1/2	702.52
1-1/2	1	261.63	1-1/2	337.62	2	423.18	2-1/2	591.30	3	765.58
2	2	245.09	3-1/2	194.56	4	259.22	5	278.99	5-1/2	341.15
2-1/2	3	321.26	4-1/2	299.14	5-1/2	343.24	6-1/2	363.07	7-1/2	437.45
3	-----	-----	6-1/2	467.31	8	498.38	9-1/2	530.57	11	646.57
4	-----	-----	-----	-----	10	844.66	12	895.99	13-1/2	1,085.85

NON -UPSET REGULAR (BASE)

NOM PIPE SIZE	LENGTH - INCHES									
	4		6		8		10		12	
	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1/2	150.09	3/4	149.29	1	167.79	1-1/4	191.09	1-1/2	211.23
1-1/4	3/4	148.96	1	150.20	1-1/2	169.18	2	191.20	2-1/4	218.00
1-1/2	1	148.96	1-1/2	153.45	2	172.13	2-1/2	201.08	3	219.33
2	1-1/2	183.51	2-1/2	167.16	3	189.33	4	219.33	4-1/2	240.87
2-1/2	2	193.24	3	198.77	4	225.33	5	251.08	6	280.71
3	-----	-----	4-1/2	258.74	6	310.02	7	355.08	8-1/2	393.51

TUBING NIPPLES SPECIFIED N-80 LIST PLUS 25%

NON-CURRENT API THREADS LIST PLUS 50%

FOR INTERMEDIATED LENGTHS USE NEXT LONGER PRICE PLUS 25% LONGER THAN 12" POA

FOR EXTRA HEAVY, DOUBLE ABOVE PRICE. FOR DOUBLE EXTRA HEAVY, FOUR TIMES ABOVE PRICE.

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

ADAPTER NIPPLES SEAMLESS SCHEDULE 40 - ASTM A106B

SIZE INCHES	PIPE WEIGHT LB PER FT	LENGTH - INCHES					
		3	4	6	8	10	12
3/4	-----	-----	-----	-----	-----	-----	-----
1	1.68 lb/ft	86.26	86.92	89.71	101.65	107.46	115.69
1-1/4	2.27 lb/ft	89.67	90.49	97.64	106.03	114.18	121.87
1-1/2	2.72 lb/ft	95.68	96.10	111.91	115.49	126.14	135.92
2	3.65 lb/ft	47.25	47.25	53.85	61.54	69.23	75.82
2-1/2	5.79 lb/ft	-----	51.76	65.93	76.92	84.62	101.10
3	7.58 lb/ft	69.95	70.33	79.12	91.21	107.69	125.27
4	10.79 lb/ft	84.51	84.62	94.51	125.27	148.35	167.03
5	14.62 lb/ft	-----	214.93	236.91	263.51	283.29	308.73
6	18.97 lb/ft	-----	284.01	312.96	350.85	368.89	408.64
8	28.55 lb/ft	-----	-----	345.67	386.25	420.08	467.14

ABOVE PRICES APPLY TO GROOVED, THREADED OR BEVELED ENDS, OR ANY COMBINATION OF THESE.

FOR INTERMEDIATE LENGTHS, USE NEXT LONGER PRICE PLUS 25%
 LONGER THAN 12", PRICE ON APPLICATION

FOR EXTRA HEAVY, DOUBLE ABOVE PRICE. FOR DOUBLE EXTRA HEAVY, FOUR TIMES ABOVE PRICE.

MAYCO, INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
 FAX 405.677.3406
 WATTS 800.633.4396

CASING NIPPLES 4 1/2" THRU 9 5/8"

SIZE OD	WEIGHT PER FOOT	STEEL GRADE	LENGTH - PRICE - WEIGHT						ADD FOR EACH 2" ADDITION
			8	10	12	18	24	36	
4-1/2	10.50	K	373.59	405.49	438.23	464.29	547.07	704.95	36.54
	11.60	K-N-P	396.25	428.02	462.09	480.77	568.12	729.85	41.53
5	11.50	K	POA	POA	POA	POA	POA	POA	POA
	13.00	K	POA	POA	POA	POA	POA	POA	POA
	15.00	K-N-P	POA	POA	POA	POA	POA	POA	POA
	18.00	N-P	POA	POA	POA	POA	POA	POA	POA
	20.00	N-P	POA	POA	POA	POA	POA	POA	POA
5-1/2	14.00	K	433.77	469.51	513.30	650.00	770.88	1,032.14	48.46
	15.50	K	433.77	469.51	513.30	650.00	770.88	1,093.96	44.07
	17.00	K-N-P	471.01	519.89	575.27	726.48	887.46	1,205.49	49.34
	20.00	N-P	450.03	512.20	563.85	739.62	902.88	1,234.07	59.45
6-5/8	20.00	K	560.08	644.01	683.63	868.68	1,057.25	1,446.15	59.23
	24.00	K-N-P	610.16	682.58	759.48	972.22	1,205.49	1,672.53	72.64
	28.00	N-P	658.25	746.26	835.73	1,093.90	1,354.95	1,872.53	83.63
7	20.00	K	581.09	661.65	766.04	951.09	1,173.63	1,727.47	82.64
	23.00	K-N	601.48	664.85	719.98	928.12	1,137.36	1,529.67	60.93
	26.00	K-N-P	636.54	706.70	785.93	1,000.11	1,219.78	1,674.73	71.70
	29.00	N-P	675.33	795.52	863.96	1,104.40	1,348.35	1,846.15	80.33
7-5/8	26.40	K-N	696.47	764.95	852.80	1,120.88	1,342.86	1,878.02	83.09
	29.70	N-P	694.73	788.46	881.43	1,139.56	1,393.41	1,896.70	84.89
8-5/8	24.00	K	699.89	785.93	891.86	1,105.49	1,336.26	1,875.82	84.73
	32.00	K	693.68	808.24	871.54	1,095.60	1,353.85	1,847.25	74.74
	36.00	K-N	800.01	890.22	988.13	1,304.40	1,579.12	2,160.44	97.36
	44.00	N-P	864.95	989.12	1,109.89	1,448.35	1,794.51	2,475.82	108.24
9-5/8	49.00	N-P	1,000.27	1,150.55	1,264.84	1,652.75	1,984.62	2,859.34	117.69
	36.00	K	1,090.22	1,243.96	1,383.52	1,772.53	2,092.31	3,026.37	119.89

PRICES SHOWN ARE FOR K-55 OR J-55. FOR N-80 ADD 25%

FOR INTERMEDIATE LENGTHS, USE NEXT SHORTER LENGTH PLUS PRICE FROM LAST COLUMN FOR EACH 2" OR FRACTION THEREOF.

OIL COUNTRY CASING NIPPLE EXTRAS PAGE 7

MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
FAX 405.677.3406
WATTS 800.633.4396

SUB TUBING COUPLING J-55

SIZE	WEIGHT	PRICE EACH
2" EUE X 2" REG	5	311.10
2-1/2" REG X 2" REG	5	485.82
2-1/2" REG X 2" EUE	5	485.82
2-1/2" EUE X 2" REG	8	548.12
2-1/2" EUE X 2" EUE	8	548.12
2-1/2" EUE X 2-1/2" REG	7	548.12
3" REG X 2" REG	11	901.21
3" REG X 2" EUE	11	901.21
3" REG X 2-1/2" REG	10	777.03
3" REG X 2-1/2" EUE	10	777.03
3" EUE X 2" REG	15	873.07
3" EUE X 2" EUE	14	873.07
3" EUE X 2-1/2" REG	16	810.11
3" EUE X 2-1/2" EUE	15	810.11
3" EUE X 3" REG	13	793.68
4" REG X 3" REG	10	1,449.73
4" REG X 3" EUE	12	1,449.73
4" EUE X 3" REG	11	1,632.74
4" EUE X 3" EUE	11	1,632.74
4" EUE X 4" REG	10	1,632.74

SHARP V-THREADS NOT RECOMMENDED FOR LIFTING.

N-80 LIST PLUS 100%

FOR NON-CURRENT API THREADS LIST PLUS 50%

SIZES UNDER 2" PRICE \$272.05

MAYCO, INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405.677.5969
FAX 405.677.3406
WATTS 800.633.4396

COMB TUBING COUPLINGS J-55

SIZE, INCHES		PRICE EACH	
PIPE	API OR OD	ROUND THD X SHARP THD OR COMB	
		REG BOTH ENDS	EUE BOTH ENDS
2	2-3/8	278.57	298.96
2-1/2	2-7/8	464.60	527.58
3	3-1/2	786.40	797.02
4	4-1/2	1,479.67	1,665.82

SHARP V THREADS ARE NOT RECOMMENDED FOR LIFTING.

N-80 LIST PLUS 100%

FOR NON-CURRENT API THREADS LIST PLUS 50%

SIZES UNDER 2" PRICE \$248.46

BELL NIPPLES J-55

OD INCHES	WEIGHT EACH	PRICE EACH
4-1/2	4.5	229.73
5-1/2	9	253.29
7	13.2	513.08
8-5/8	15	858.25

SIZES NOT SHOWN POA

FLOW TEES - FORGED STEEL

SIZE	PRICE EACH
2" EUE 8RD RN X 2" LP OUTLET	293.41
2-1/2" EUE 8RD RN X 2" LP OUTLET	336.26