



RE: New List Prices
(Effective Date March 1st, 2019)

Valued Customer,

Our 'new list prices' dated March 1st, 2019 supersede our previous list prices dated May 9th, 2011 and will be effective March 1st, 2019. It has been nearly eight years since our last list price increase. The overall increase will average approximately 5½% to 6½% on Mayco Products.

The 'new list prices' are a result of increased operational expenses and a rise in raw material costs. Raw Material Costs will be a concern for all manufacturers over the next twelve months: (geopolitical tensions and possible tariffs).

The new Mayco list prices may be printed from our web page; www.mayco-usa.com after March 1st, 2019. If you need a set of 'hard copies' or more, please contact Customer Service at 1-800-633-4396 or our Representatives in your territory.

Mayco, Inc. and all of our employees want to thank "our customers" for their continued support. We greatly appreciate our 'customer-vendor' relationship.

Best Regards,

Adam Brown
V.P. Operations

Waylon Nickell
Operations Mgr.

Tom Hughes
V.P. Sales & Mktg.

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

LIST PRICES EFFECTIVE MARCH 1, 2019

**BULL PLUGS - COUPLINGS - SWAGES
API OIL COUNTRY - J-55 - N-80 - P-110 - 4130 -
4140 - ALUMINUM BRONZE - BRASS - STAINLESS
STEEL AND OTHER SPECIALTY FITTINGS**

LOCAL STOCKING DISTRIBUTOR



MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

TABLE OF CONTENTS

	PAGE
TERMS AND CONDITIONS	1
CURRENT API THREAD STANDARDS	2
BULL PLUGS	
CASING	10
LINE PIPE	3
TUBING	10
EXTRAS	6 & 7
COUPLINGS	
COMBINATION TUBING	15
SUB – TUBING	14
EXTRAS	6 & 7
NIPPLES	
ADAPTER	12
BELL	15
CASING	13
TUBING	11
EXTRAS	6 & 7
SWAGES	
CASING	9
LINE PIPE	4 & 5
STAINLESS & SPECIAL ALLOYS	6 & 7
TUBING – NON - UPSET	9
TUBING – UPSET	8
EXTRAS	6 & 7
TEES	
FLOW	15

EFFECTIVE MARCH 1, 2019

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

TERMS & CONDITIONS

PRICES & PAYMENT TERMS

PRICES SUBJECT TO CHANGE WITHOUT NOTICE
ALL PRICES ARE SUBJECT TO "ADDERS" SHOWN
MINIMUM INVOICING CHARGE OF \$50.00 PLUS SHIPPING/HANDLING
2% 10 - NET 30 DAYS
A SERVICE CHARGE OF 18 PERCENT PER ANNUM WILL BE ASSESSED ON ALL PAST DUE ACCOUNTS.

FREIGHT

FULL FREIGHT ALLOWED WITHIN THE CONTINENTAL USA BY THE MOST ECONOMICAL MEANS FOR ORDERS TOTALING \$3000.00 NET OR MORE. MAYCO'S RESPONSIBILITY CEASES UPON DELIVERY OF GOODS TO CARRIER.

SHORTAGES

SHORTAGE CLAIMS MUST BE PRESENTED IN WRITING WITHIN 30 DAYS AFTER RECEIPT OF MATERIAL.

RETURN POLICY

NO MATERIAL MAY BE RETURNED WITHOUT PRIOR AUTHORIZATION. A 20% CHARGE MAY APPLY. NO SPECIAL OR NON - STOCKING ITEM MAY BE RETURNED OR CANCELED.

MATERIAL TEST REPORTS

\$5.00 PER LINE ITEM - \$25.00 MINIMUM

PRESSURE RATINGS

MAYCO, INC. DISCLAIMS ANY LIABILITY OR RESPONSIBILITY FOR MAKING ALLOWABLE WORKING PRESSURE RECOMMENDATIONS. PRODUCTS WILL BE FURNISHED TO END USERS SPECIFICATION OF PIPE SIZE AND SCHEDULE. END USER IS RESPONSIBLE FOR FORMULAS AND PROCEDURES FOR CALCULATING NECESSARY WORKING PRESSURE REQUIRED IN ACCORDANCE TO SERVICE CONDITIONS OF END APPLICATION.

WARRANTY

MAYCO, INC. WARRANTS TO THE CUSTOMER ALL MANUFACTURED PRODUCTS TO BE FREE FROM DEFECTS IN WORKMANSHIP AND MATERIAL FOR A PERIOD OF ONE (1) YEAR FROM DATE OF PURCHASE. MAYCO'S LIABILITY SHALL BE LIMITED TO REPLACEMENT OF PRODUCT FOB FROM ITS FACTORY, PROVIDED THAT THE PRODUCT WAS USED IN ACCORDANCE WITH APPROVED INSTALLATION AND OPERATING PRACTICES AS RECOMMENDED AND NOT DAMAGED DUE TO ABRASIVE, CORROSIVE, OR OTHER ABNORMAL CONDITIONS.

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

CURRENT API THREAD STANDARDS

NOMINAL SIZE	O D SIZE	PIPE	TUBING & CASING	NOMINAL SIZE	O D SIZE	PIPE	TUBING & CASING
1/8	0.405	27V		4 - 1/2	4.500	8V	8 RD
1/4	0.540	18V		4-1/2 EUE	4.750		8 RD
3/8	0.675	18V			5.000		8 RD
1/2	0.840	14V		5 - 1/2	5.500		8 RD
3/4	1.050	14V		5	5.563	8V	
1.050 EUE	1.315		10 RD	6	6.625	8V	8 RD
1	1.315	11-1/2 V	10 RD	7	7.000		8 RD
1.315 EUE	1.469		10 RD	7 - 5/8	7.625		8 RD
1-1/4	1.660	11-1/2 V	10 RD	8	8.625	8V	8 RD
1.660 EUE	1.812		10 RD	9	9.625		8 RD
1-1/2	1.900	11-1/2 V	10 RD	10	10.750	8V	8 RD
1.900 EUE	2.094		10 RD	11	11.750		8 RD
2	2.375	11-1/2 V	10 RD	12	12.750	8V	
2-3/8 EUE	2.594		8 RD	13	13.375		8 RD
2-1/2	2.875	8V	10 RD	14	14.000	8V	
2-7/8 EUE	3.094		8 RD	16	16.000	8V	8 RD
3	3.500	8V	10RD	18	18.000	8V	
3-1/2 EUE	3.750		8 RD	20	20.000	8V	

**API SHARP V LINE PIPE THREADS ARE NOT
RECOMMENDED OR INTENDED FOR TENSION
LOADS OR FOR LIFTING ON TUBULAR PRODUCTS**

FOR NON CURRENT API THREAD ADD 50% TO LIST PRICE

**COLOR CODES FOR TUBING AND CASING THREAD
8RD-RED, 10RD-YELLOW, 10V-BLUE & 11-1/2 V (LONG) GREEN**

EFFECTIVE MARCH 1, 2019

PAGE 2

MAYCO INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
 FAX 405-677-3406
 WATTS 800-633-4396

BULL PLUGS

API LINE PIPE

SIZE, INCHES		LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
PIPE	API OR OD		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1/8	0.405	2	-----	*	1/10	33.50	2/5	48.10
1/4	0.540	2	-----	*	1/9	30.25	2/5	43.89
3/8	0.675	2-1/4	-----	*	1/7	31.79	2/7	48.10
1/2	0.840	2-1/2	-----	*	1/3	33.10	1/2	49.50
3/4	1.050	2-3/4	-----	*	1/2	34.79	3/4	51.50
1	1.315	3	-----	*	2/3	40.69	1	60.10
1-1/4	1.660	3-1/4	-----	*	1	64.15	1-1/2	125.10
1-1/2	1.900	3-1/2	-----	*	1-1/6	61.89	2	101.59
2	2-3/8	4	2-1/4	79.50	2-1/2	116.50	3-1/2	235.89
2-1/2	2-7/8	5	3	116.67	3-1/2	151.79	8	313.47
3	3-1/2	6	4-1/2	174.98	6	220.10	11	512.79
3-1/2	4	6-1/2	5-1/2	POA	7-1/2	POA	13-1/2	POA
4	4-1/2	7	7-1/2	221.49	10	303.45	18	669.10
5	5-9/16	8-1/2	12-1/2	438.50	17	655.10	33	POA
6	6-5/8	10	17	684.50	25	1033.10	46	POA
8	8-5/8	11	29	1120.0	44	1737.50	78	POA

*STANDARD WEIGHT NOT AVAILABLE

PRICES SHOWN FOR BULL PLUGS WITH ANY CURRENT API LINE PIPE
 THREAD OR BEVELED END (B.E.) OR ANY COMBINATION THEREOF.

SOLID BLACK REFINERY BULL PLUGS POA

BULL PLUG EXTRAS PAGE 6

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

SWAGE NIPPLES API LINE PIPE CONCENTRIC 1/4" THRU 2-1/2"

SIZE, INCHES			LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
PIPE	API OR OD	REDUCED TO		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1/4	0.540	1/8	2-1/4	-----	*	-----	39.10	1/4	49.25
3/8	0.675	1/8	2-1/2	-----	*	1/4	39.10	3/8	49.25
		1/4	2-1/2	-----	*	1/4	34.95	3/8	44.10
1/2	0.840	1/8	2-3/4	-----	*	1/3	39.15	1/2	50.10
		1/4 and 3/8	2-3/4	-----	*	1/3	31.95	1/2	40.75
3/4	1.050	1/8	3	-----	*	1/2	51.25	3/4	66.10
		1/4 and 3/8	3	-----	*	1/2	45.95	3/4	59.59
		1/2	3	-----	*	1/2	35.69	3/4	46.08
1	1.315	1/8	3-1/2	-----	*	2/3	64.79	1	83.20
		1/4 and 3/8	3-1/2	-----	*	2/3	57.89	1	76.89
		1/2 and 3/4	3-1/2	-----	*	2/3	45.15	1	59.90
1-1/4	1.660	1/4 and 3/8	4	-----	*	1	92.89	1-1/2	187.89
		1/2 and 3/4	4	-----	*	1	70.45	1-1/2	171.49
		1	4	-----	*	1	66.35	1-1/2	135.70
1-1/2	1.900	1/4 and 3/8	4-1/2	-----	*	1-1/6	115.49	2	187.90
		1/2 and 3/4	4-1/2	-----	*	1-1/6	92.25	2	179.65
		1	4-1/2	-----	*	1-1/6	78.10	2	140.25
		1-1/4	4-1/2	-----	*	1-1/6	78.10	2	127.64
2	2-3/8	1/4 and 3/8	6-1/2	-----	*	3	178.56	4-1/2	303.49
		1/2 and 3/4	6-1/2	-----	*	3	160.76	4-1/2	284.79
		1	6-1/2	2	110.25	2-1/3	127.25	4-1/2	261.56
		1-1/4	6-1/2	2	124.79	2-1/3	135.50	4-1/2	261.56
		1-1/2	6-1/2	2	94.69	2-1/3	127.25	4-1/2	261.56
2-1/2	2-7/8	1/2 and 3/4	7	-----	*	3-1/2	236.01	8	349.10
		1	7	3	137.20	3-1/2	198.59	8	325.15
		1-1/4	7	3	150.25	3-1/2	207.59	8	325.15
		1-1/2	7	3	144.20	3-1/2	190.50	8	325.15
		2	7	3	118.10	3-1/2	159.79	8	304.89

*STANDARD WEIGHT NOT AVAILABLE

PRICES SHOWN FOR SWAGE NIPPLES WITH ANY CURRENT API LINE PIPE
THREAD OR BEVELED END (B.E.) OR ANY COMBINATION THEREOF.

MAYCO INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
 FAX 405-677-3406
 WATTS 800-633-4396

SWAGE NIPPLES API LINE PIPE CONCENTRIC 3" THRU 8"

SIZE, INCHES			LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
PIPE	API OR OD	REDUCED TO		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
3	3-1/2	1/2 and 3/4	8	----	*	6	398.85	11	435.58
		1	8	4-1/2	194.10	6	239.22	11	408.03
		1-1/4	8	4-1/2	209.98	6	250.89	11	408.03
		1-1/2	8	4-1/2	193.38	6	227.00	11	408.03
		2 and 2-1/2	8	4-1/2	133.98	6	185.58	11	353.55
3-1/2	4	1/2 thru 1-1/2	8	5-1/2	POA	7-1/2	POA	13-1/2	POA
		2 thru 3	8	5-1/2	POA	7-1/2	POA	13-1/2	POA
4	4-1/2	1/2 and 3/4	9	----	*	10	390.83	18	683.88
		1	9	7-1/2	305.08	10	371.12	18	533.22
		1-1/4 thru 1-1/2	9	7-1/2	292.12	10	359.08	18	533.22
		2	9	7-1/2	214.14	10	289.88	18	469.59
		2-1/2	9	7-1/2	232.02	10	278.02	18	469.59
		3 and 3-1/2	9	7-1/2	198.38	10	260.98	18	469.59
5	5-9/16	1 thru 1-1/2	11	11-1/2	862.12	17	919.09	33	POA
		2 and 2-1/2	11	11-1/2	820.38	17	875.05	33	POA
		3 and 3-1/2	11	11-1/2	659.89	17	788.08	33	POA
		4	11	11-1/2	544.22	17	696.98	33	POA
6	6-5/8	1 thru 1-1/2	12	17	1321.09	25	1363.23	46	POA
		2 and 2-1/2	12	17	1082.88	25	1075.35	46	POA
		3 and 3-1/2	12	17	757.08	25	890.93	46	POA
		4	12	17	625.59	25	868.38	46	POA
		5	12	17	598.58	25	792.12	46	POA
8	8-5/8	2 thru 3	13	29	2298.38	44	2369.89	78	POA
		4 and 5	13	29	2235.55	44	2319.33	78	POA
		6	13	29	1358.98	44	1722.39	78	POA

ECCENTRIC SWAGES POA

SWAGE NIPPLE EXTRAS ON PAGE 6

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

LINE PIPE EXTRAS BULL PLUGS & SWAGES

MATERIAL

LINE PIPE BULL PLUGS & SWAGES ARE MADE FROM SEAMLESS A-106 GR B PIPE OR COLD DRAWN BARSTOCK AND TUBING IN ACCORDANCE WITH A234 SPECIFICATIONS. THREADING CONFORMS TO API 5B SPECIFICATIONS.

TAPPED BULL PLUGS

2" (2-3/8 OD) & BELOW	LIST PLUS \$ 12.50
2-1/2" (2-7/8 OD) - 4" (4-1/2 OD)	LIST PLUS \$ 20.20
5" (5-9/16 OD) - 8" (8-5/8 OD)	LIST PLUS \$ 38.00

SIDE TAPPED BULL PLUGS

POA

1-1/4" - 2" HEX BULL PLUGS

POA

FEMALE BULL PLUGS & SWAGES

POA

ALUMINUM BRONZE, BRASS, STAINLESS STEEL, ETC.

POA

COMBINATION ENDS

DIFFERENT SCHEDULES OR WALL THICKNESS USE HEAVIEST WALL LIST PLUS 50%

SPECIAL LENGTHS

POA

ECCENTRIC SWAGE NIPPLES

POA

PLAIN ENDS / SQUARE CUT

BULL PLUGS & SWAGES WITH SQUARE CUT ENDS SPECIFIED, MUST BE RESIZED; SQUARE CUT AND FITTED INTO SOCKETWELD FITTING GAUGES TO INSURE A PROPER FIT AND INSTALLATION.

LARGE END SIZE

1-1/2" & SMALLER	LIST PLUS 30%
2" & LARGER	LIST PLUS 20%

GROOVED ENDS

ONE END	LIST PLUS 5%
BOTH ENDS	LIST PLUS 10%

NON CURRENT API THREAD

LIST PLUS 50%

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

OIL COUNTRY EXTRAS BULL PLUGS, SWAGES, CASING & TUBING NIPPLES

MATERIAL

OIL COUNTRY BULL PLUGS, SWAGES, TUBING NIPPLES, ETC. ARE MADE FROM COLD DRAWN BARSTOCK OR TUBING AND HEAT TREATED WHEN NECESSARY TO MEET J-55 SPECIFICATIONS. MAYCO ALSO PROVIDES PRODUCTS MEETING N-80, L-80, P-110, 4130 NACE, 4140, ALUMINUM BRONZE, STAINLESS STEEL, BRASS & OTHER ALLOY SPECIFICATIONS. THREADING CONFORMS TO API 5B SPECIFICATIONS.

LEFT HAND THREADS

POA

OIL COUNTRY COMBINATION THREAD SWAGE NIPPLES

UPSET BOTH ENDS OR NON-UPSET BOTH ENDS

2" (2-3/8 OD) & 2-1/2" (2-7/8 OD)

LIST PLUS \$ 19.50

3" (3-1/2 OD)

LIST PLUS \$ 26.25

4" (4-1/2 OD)

LIST PLUS \$ 38.50

WEIGHTS AND SPECIAL LENGTHS NOT SHOWN

POA

COMBINATION & API LONG CASING THREAD

FOR EACH THREAD ADD THE FOLLOWING

6-5/8 OD & BELOW

COMB THREAD	LONG THREAD
----------------	----------------

\$ 67.83	\$ 77.10
----------	----------

7 OD THRU 10-3/4 OD

\$ 83.42	\$ 94.79
----------	----------

OVER 10 3/4" OD

\$120.90	\$123.75
----------	----------

SPECIAL THREADS

ACME 8, ARMCO SEAL LOCK, BUTTRESS THD(S), ETC.

POA

NON CURRENT API THREAD

LIST PLUS 50%

NON STANDARD ENDS

POA

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

API UPSET SWAGE NIPPLE OIL COUNTRY

LARGE END UPSET REDUCED TO REGULAR OR UPSET

NOM PIPE SIZE, IN	PIPE O D IN.	REDUCED TO	LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DOUBLE EXTRA HEAVY	
				WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1.315	3/4	3-1/2	2/3	322.92	2/3	363.88	3	POA
1-1/4	1.660	3/4 - 1	4	1	360.44	1	415.05	4	POA
1-1/2	1.900	3/4 - 1 - 1-1/4	4-1/2	1-1/4	359.09	1-1/4	419.09	6	POA
2	2-3/8	1/4 - 1/2 - 3/4	8	2-1/2	573.89	4	625.35	6	POA
		1 - 1-1/4 - 1-1/2	8	2-1/2	505.95	4	548.28	6	1015.25
2-1/2	2-7/8	1 - 1-1/4 - 1-1/2	8	5	630.08	6	692.12	10	1255.85
		2	8	5	475.05	6	605.95	10	1110.98
3	3-1/2	1 - 1-1/4 - 1-1/2	8	7-1/2	702.38	9	765.38	14	1395.55
		2 - 2-1/2	8	7-1/2	622.12	9	726.89	14	1315.33
4	4-1/2	1 - 1-1/4 - 1-1/2	9	11	863.22	14	935.85	23	1779.59
		2 - 2-1/2	9	11	821.35	14	896.93	23	1635.39
		3 - 3-1/2	9	11	775.45	14	849.38	23	1545.49

LARGE END NON-UPSET REDUCED TO UPSET

NOM PIPE SIZE, IN	PIPE O D IN.	REDUCED TO	LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DOUBLE EXTRA HEAVY	
				WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1.315	3/4	3 -1/2	2/3	222.68	2/3	248.44	-----	POA
1-1/4	1.660	3/4 - 1	4	1	282.02	1	305.55	-----	POA
1-1/2	1.900	3/4 - 1 - 1-1/4	4 -1/2	1-1/4	325.89	1-1/4	353.83	-----	POA
2	2-3/8	1 - 1-1/4 - 1-1/2	6 -1/2	2-1/2	442.64	3-1/2	525.85	5	885.85
2-1/2	2-7/8	1 - 1 -1/4 - 1-1/2	7	4	549.39	6	612.28	9	1119.49
		2	7	4	453.85	6	528.64	9	999.55
3	3-1/2	1 - 1-1/4 - 1-1/2	8	6	612.12	9	673.93	12	1425.35
		2 - 2-1/2	8	6	538.35	9	630.88	12	1172.12
4	4-1/2	1 - 1-1/4 - 1-1/2	9	8	743.58	12	820.92	20	1582.22
		2 - 2-1/2	9	8	712.79	12	782.38	20	1412.68
		3 - 3-1/2	9	8	679.29	12	743.53	20	1362.02
	5-1/2	2 - 3	11	12-1/2	1385.0	17	1573.35	33	1923.23
	7	2 - 3	12	17	1625.0	25	1993.25	50	2698.45

SWAGE NIPPLES SHOWN ABOVE ARE MADE FROM J-55. FOR N - 80 LIST PLUS 25%. PRICES SHOWN ARE FOR TUBING THREAD ON ONE END WITH LINE PIPE, TUBING OR CASING THREADS ON THE OTHER END. OIL COUNTRY SWAGE NIPPLE EXTRAS ON PAGE 7.

MAYCO INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
 FAX 405-677-3406
 WATTS 800-633-4396

API NON – UPSET SWAGE NIPPLES TUBING & CASING OIL COUNTRY

SIZE, INCHES			LENGTH INCHES	STANDARD		EXTRA HEAVY		160 & DBL EX	
ID NOM	OD	REDUCED TO		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1.315	1/4 thru 3/4	3-1/2	2/3	POA	2/3	POA	1	POA
1-1/4	1.660	1/4 thru 1/2	4	1	POA	1	POA	1-1/2	POA
		3/4 and 1	4	1	157.68	1	169.09	1-1/2	POA
1-1/2	1.900	1/4 thru 3/4	4-1/2	1-1/16	POA	1-1/2	POA	2	POA
		1 and 1-1/4	4-1/2	1-1/16	169.09	1-1/2	187.59	2	POA
2	2-3/8	1/4 thru 3/4	6-1/2	2-1/2	-----	3	POA	4-1/4	POA
		1 thru 2 OD	6-1/2	2	147.89	2-1/3	203.95	4-1/2	POA
2-1/2	2-7/8	1/4 thru 3/4	7	3	-----	3-1/2	POA	8	POA
		1 thru 1-1/2	7	3	POA	3-1/2	POA	8	POA
		2 and 2-1/16	7	3	163.35	3-1/2	252.64	8	POA
3	3-1/2	1 thru 1-1/2	8	4-1/2	POA	6	POA	11	POA
		2 and 2-1/2	8	4-1/2	198.88	6	292.55	11	POA
4	4-1/2	1 thru 1-1/2	9	7	POA	10	POA	18	POA
		2 thru 4 OD	9	7-1/2	292.22	10	462.73	18	POA
	5	1 thru 1-1/2	10	9-1/2	POA	15	POA	24	POA
		2 thru 4-1/2 OD	10	9-1/2	POA	15	POA	24	POA
	5-1/2	1 thru 1-1/2	11	12-1/2	POA	17	POA	33	POA
		2 and 2-1/2	11	12-1/2	879.99	17	1152.64	33	POA
		3 thru 5 OD	11	12-1/2	592.35	17	925.68	33	POA
	6-5/8	1 thru 1-1/2	12	17	POA	25	POA	46	POA
		2 and 2-1/2	12	17	1309.09	25	1349.12	46	POA
		3 thru 4 OD	12	17	882.88	25	1212.21	46	POA
		4 thru 6 OD	12	17	762.92	25	1083.88	46	POA
	7	1 thru 1-1/2	12	17	POA	25	POA		POA
		2 thru 2-1/2	12	17	1458.68	25	1522.45		POA
		3 thru 5 OD	12	17	1152.29	25	1385.05		POA
		5-1/2 and 6 OD	12	17	808.08	25	1293.89		POA
	7-5/8	2 thru 3	12	24	POA	32	POA		POA
		4 thru 6 OD	13	24	POA	32	POA		POA
		6-5/8 thru 7 OD	13	24	POA	32	POA		POA
	8-5/8	2 thru 3	13	29	2958.85	44	2998.92		POA
		4 thru 6 OD	13	29	2593.33	44	2695.95		POA
		6-5/8 and 7-5/8 OD	13	29	1505.55	44	2028.89		POA

PRICES SHOWN FOR SWAGE NIPPLES WITH 8RD & 10RD TUBING THREAD, 8RD CASING THREAD AND/OR BEVELED ENDS. ALSO COVERS CASING SIZES WHERE NO THREAD IS SPECIFIED.
 SWAGE NIPPLES SPECIFIED N-80 POA
 OIL COUNTRY SWAGE NIPPLE EXTRAS PAGE 7

MAYCO INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK 73117

PHONE 405-677-5969
 FAX 405-677-3406
 WATTS 800-633-4396

BULL PLUGS OIL COUNTRY TUBING

SIZE, INCHES		LENGTH INCHES	STANDARD		EXTRA HEAVY		DBL EX HEAVY	
PIPE	API OR OD		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
3/4 EUE	-----	3	1-1/2	POA	1/2	POA	-----	POA
1	1.315	3	1-1/2	POA	2/3	POA	-----	POA
1 EUE	-----	3	1-1/2	POA	----	POA	-----	POA
1-1/4	1.660	3-1/4	1-1/2	138.08	2	161.33	3	262.22
1-1/4 EUE	-----	3-1/4	1-1/2	215.21	2	246.46	3-1/4	295.85
1-1/2	1.900	3-1/2	1-1/2	145.45	2	190.98	3-1/2	278.88
1-1/2 EUE	-----	3-1/2	2	217.12	2-1/4	240.80	4	305.05
2	2-3/8	4	2	113.95	3	144.45	4-1/4	322.92
2 EUE	-----	5	3-1/2	189.89	4	255.25	9	430.98
2-1/2	2-7/8	5	3	117.88	3-1/2	182.82	8	349.09
2-1/2 EUE	-----	5-1/2	4-1/4	263.53	6	330.88	14	678.12
3	3-1/2	6	4-1/2	169.09	5	243.53	11	648.49
3 EUE	-----	6-1/2	10	292.22	15	435.09	25	839.39

FEMALE BULL PLUGS POA

CASING

SIZE, INCHES	LENTH INCHES	STANDARD		EXTRA HEAVY		DBL EX HEAVY	
		WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
4-1/2	7	7-1/2	POA	10	POA	18	POA
5	8	9-1/2	POA	15	POA	24	POA
5-1/2	8-1/2	12-1/2	POA	17	POA	33	POA
6-5/8	10	17	POA	25	POA	46	POA
7	10	17	POA	25	POA	50	POA
7-5/8	11	24	POA	32	POA	53	POA
8-5/8	11	29	POA	44	POA	78	POA

PRICES SHOWN FOR BULL PLUGS WITH 8RD & 10RD TUBING THREAD,
 8RD CASING THREAD AND/OR BEVELED ENDS.

BULL PLUGS SPECIFIED N-80 POA

OIL COUNTRY BULL PLUG EXTRAS ON PAGE 7

MAYCO INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
 FAX 405-677-3406
 WATTS 800-633-4396

TUBING NIPPLES UPSET & NON - UPSET J-55

UPSET API THREADS ONE OR BOTH ENDS

NOM PIPE SIZE	LENGTH - INCHES									
	4		6		8		10		12	
	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH	WEIGHT EACH	PRICE EACH
1	1/2	212.22	1	258.09	1-1/4	323.33	1-1/2	445.45	2	612.12
1-1/4	1	220.88	1-1/4	283.38	1-1/4	358.38	2	485.55	2-1/2	639.29
1-1/2	1	238.08	1-1/2	307.23	2	385.09	2-1/2	538.08	3	696.68
2	2	223.03	3-1/2	177.05	4	235.89	5	253.88	5-1/2	310.45
2-1/2	3	292.35	4-1/2	272.22	5-1/2	312.35	6-1/2	330.39	7-1/2	398.08
3	-----	-----	6-1/2	425.25	8	453.53	9-1/2	482.82	11	588.38
4	-----	-----	-----	-----	10	768.64	12	815.35	13-1/2	988.12

NON - UPSET, REGULAR (BASE)

1	1/2	136.58	3/4	135.85	1	152.69	1-1/4	173.89	1-1/2	192.22
1-1/4	3/4	135.55	1	136.68	1-1/2	153.95	2	173.99	2-1/4	198.38
1-1/2	1	135.55	1-1/2	139.64	2	156.64	2-1/2	182.98	3	199.59
2	1-1/2	166.99	2-1/2	152.12	3	172.29	4	199.59	4-1/2	219.19
2-1/2	2	175.85	3	180.88	4	205.05	5	228.48	6	255.45
3	-----	-----	4-1/2	235.45	6	282.12	7	323.12	8-1/2	358.09

TUBING NIPPLES SPECIFIED N-80 LIST PLUS 25%.

NON CURRENT API THREADS LIST PLUS 50%.

FOR INTERMEDIATE LENGTHS USE NEXT LONGER PRICE PLUS 25%
 LONGER THAN 12" POA.

FOR EXTRA HEAVY, DOUBLE ABOVE PRICE. FOR DOUBLE EXTRA HEAVY, FOUR TIMES
 ABOVE PRICE.

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

ADAPTER NIPPLES SEAMLESS

SCHEDULE 40 – ASTM A106B

SIZE INCHES	PIPE WEIGHT LB PER FT	LENGTH - INCHES					
		3	4	6	8	10	12
3/4	-----	-----	-----	-----	-----	-----	-----
1	1.68 lb./ft.	78.50	79.10	81.64	92.50	97.79	105.28
1-1/4	2.27 lb./ft.	81.60	82.35	88.85	96.49	103.90	110.90
1-1/2	2.72 lb./ft.	87.07	87.45	101.84	105.10	114.79	123.69
2	3.65 lb./ft.	43.00	43.00	49.00	56.00	63.00	69.00
2-1/2	5.79 lb./ft.	-----	47.10	60.00	70.00	77.00	92.00
3	7.58 lb./ft.	63.65	64.00	72.00	83.00	98.00	114.00
4	10.79 lb./ft.	76.90	77.00	86.00	114.00	135.00	152.00
5	14.62 lb./ft.	-----	195.59	215.59	239.79	257.79	280.94
6	18.97 lb./ft.	-----	258.45	284.79	319.27	335.69	371.86
8	28.55 lb./ft.	-----	-----	314.56	351.49	382.27	425.10

ABOVE PRICES APPLY TO GROOVED, THREADED OR BEVELED ENDS, OR ANY COMBINATION OF THESE.

FOR INTERMEDIATE LENGTHS, USE NEXT LONGER PRICE PLUS 25% LONGER THAN 12", PRICE ON APPLICATION.

FOR EXTRA HEAVY, DOUBLE ABOVE PRICE. FOR DOUBLE EXTRA HEAVY, FOUR TIMES ABOVE PRICE.

MAYCO INC.

P.O. BOX 94070 (73143)
 3501 EAST RENO AVENUE
 OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
 FAX 405-677-3406
 WATTS 800-633-4396

CASING NIPPLES

4 1/2" THRU 9 5/8"

SIZE O D	WEIGHT PER FOOT	STEEL GRADE	LENGTH - PRICE - WEIGHT						ADD FOR EACH 2" ADDITION
			8	10	12	18	24	36	
4-1/2	10.50	K	339.97	369.00	398.79	422.50	497.83	641.50	33.25
	11.60	K-N-P	360.59	389.50	420.50	437.50	516.99	664.16	37.79
5	11.50	K	POA	POA	POA	POA	POA	POA	POA
	13.00	K	POA	POA	POA	POA	POA	POA	POA
	15.00	K-N-P	POA	POA	POA	POA	POA	POA	POA
	18.00	N-P	POA	POA	POA	POA	POA	POA	POA
5-1/2	14.00	K	394.73	427.25	467.10	591.50	701.50	939.25	44.10
	15.50	K	394.73	427.25	467.10	591.50	701.50	995.50	40.10
	17.00	K-N-P	428.62	473.10	523.50	661.10	807.59	1097	44.90
	20.00	N-P	409.53	466.10	513.10	673.05	821.62	1123	54.10
6-5/8	20.00	K	509.67	586.05	622.10	790.50	962.10	1316	53.90
	24.00	K-N-P	555.25	621.15	691.13	884.72	1097	1522	66.10
	28.00	N-P	599.01	679.10	760.51	995.45	1233	1704	76.10
7	20.00	K	528.79	602.10	697.10	865.49	1068	1572	75.20
	23.00	K-N	547.35	605.01	655.18	844.59	1035	1392	55.45
	26.00	K-N-P	579.25	643.10	715.20	910.10	1110	1524	65.25
	29.00	N-P	614.55	723.92	786.20	1005	1227	1680	73.10
7-5/8	26.40	K-N	633.79	696.10	776.05	1020	1222	1709	75.61
	29.70	N-P	632.20	717.50	802.10	1037	1268	1726	77.25
8-5/8	24.00	K	636.90	715.20	811.59	1006	1216	1707	77.10
	32.00	K	631.25	735.50	793.10	997	1232	1681	68.01
	36.00	K-N	728.01	810.10	899.20	1187	1437	1966	88.60
	44.00	N-P	787.10	900.10	1010	1318	1633	2253	98.50
9-5/8	49.00	N-P	910.25	1047	1151	1504	1806	2602	107.10
	36.00	K	992.10	1132.	1259	1613	1904	2754	109.10

PRICES SHOWN ARE FOR K-55 OR J-55. FOR N-80 ADD 25%
 FOR INTERMEDIATE LENGTHS, USE NEXT SHORTER LENGTH PLUS PRICE
 FROM LAST COLUMN FOR EACH 2" OR FRACTION THEREOF.
 OIL COUNTRY CASING NIPPLE EXTRAS PAGE 7.

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

SUB TUBING COUPLING J-55

SIZE	WEIGHT EACH	PRICE EACH
2 EUE X 2 REG	5	283.10
2-1/2 REG X 2 REG	5	442.10
2-1/2 REG X 2 EUE	5	442.10
2-1/2 EUE X 2 REG	8	498.79
2-1/2 EUE X 2 EUE	8	498.79
2-1/2 EUE X 2-1/2 REG	7	498.79
3 REG X 2 REG	11	820.10
3 REG X 2 EUE	11	820.10
3 REG X 2-1/2 REG	10	707.10
3 REG X 2-1/2 EUE	10	707.10
3 EUE X 2 REG	15	794.49
3 EUE X 2 EUE	14	794.49
3 EUE X 2-1/2 REG	16	737.20
3 EUE X 2-1/2 EUE	15	737.20
3 EUE X 3 REG	13	722.25
4 REG X 3 REG	10	1319.25
4 REG X 3 EUE	12	1319.25
4 EUE X 3 EUE	11	1485.79
4 EUE X 3 EUE	11	1485.79
4 EUE X 4 REG	10	1485.79

SHARP V – THREADS NOT RECOMMENDED FOR LIFTING.
N-80 LIST PLUS 100%
FOR NON CURRENT API THREADS LIST PLUS 50%
SIZE UNDER 2" PRICE \$247.57

MAYCO INC.

P.O. BOX 94070 (73143)
3501 EAST RENO AVENUE
OKLAHOMA CITY, OK. 73117

PHONE 405-677-5969
FAX 405-677-3406
WATTS 800-633-4396

COMB TUBING COUPLINGS J-55

SIZE, INCHES		PRICE EACH	
PIPE	API OR OD	ROUND THD X SHARP THD OR COMB	
		REG BOTH ENDS	EUE BOTH ENDS
2	2-3/8	253.50	272.05
2-1/2	2-7/8	422.79	480.10
3	3-1/2	715.62	725.29
4	4-1/2	1346.50	1515.90

SHARP V THREADS ARE NOT RECOMMENDED FOR LIFTING.
N-80 LIST PLUS 100%
FOR NON CURRENT API THREADS LIST PLUS 50%
SIZES UNDER 2" PRICE \$226.10

BELL NIPPLES J-55

OD INCHES	WEIGHT EACH	PRICE EACH
4-1/2	4.5	209.05
5-1/2	9	230.49
7	13.2	466.90
8-5/8	15	781.01

SIZES NOT SHOWN POA

FLOW TEES - FORGED STEEL

SIZE	PRICE EACH
2 EUE 8RD RN X 2 LP OUTLET	267.00
2-1/2 EUE 8RD RN X 2 LP OUTLET	306.00